

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q68895

Shinji YAMAMORI, et al.

Appln. No.: 10/092,591

Group Art Unit: 1797

Confirmation No.: 1085

Examiner: Keri A. MOSS

Filed: March 8, 2002

For: SENSOR FOR MEASURING CARBON DIOXIDE IN RESPIRATORY GAS

EXCESS CLAIM FEE PAYMENT LETTER

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Sir:

An Amendment Under 37 C.F.R. § 1.111 is attached hereto for concurrent filing in the above-identified application. The resulting excess claim fee has been calculated as shown below:

	After Amendment		Highest No. Previously Paid For						
All Claims	<u>32</u>	-	<u>21</u>	=	<u>11</u>	X	<u>\$50.00</u>	=	<u>\$550.00</u>
Independent	<u>6</u>	-	<u>4</u>	=	<u>2</u>	X	<u>\$210.00</u>	=	<u>\$420.00</u>
TOTAL								=	<u>\$970.00</u>

The statutory fee of \$970.00 is being charged to Deposit Account No. 19-4880 via EFS Payment Screen. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account.

Respectfully submitted,


David P. Emery
Registration No. 55,154

SUGHRUE MION, PLLC
Telephone: (202) 293-7060
Facsimile: (202) 293-7860

WASHINGTON DC SUGHRUE/265550

65565

CUSTOMER NUMBER

Date: March 6, 2008